



FUMIGATION LOSS CONTROL ONSITE REPORT

| Fumigating Company: | | | | | | |
|-----------------------------|---|---|-----|--|--|--|
| City/State: | | | | | | |
| Inspection Contact: | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| FUMIGATION LOSS CON | <u>TTROL</u> | | | | | |
| 1. Describe how and where | e are fumigant gas cylinders stored: _ | | | | | |
| 2. Who is your certified op | erator/licensee in charge of fumigati | on? | | | | |
| | licenses/certifications for all emplo ations (for Florida, include all Cert | | for | | | |
| | delines to identify and extinguish all ng fumigations? | | | | | |
| a. If yes, attached a | и сору | | | | | |
| 4. What agency(s) are noti | 4. What agency(s) are notified prior to performing fumigations? Select all that apply: | | | | | |
| a. State Departme | ent of Agriculture/Pesticide Regulator | ory Agency | | | | |
| b. Local Emerger | ncy Response | | | | | |
| c. Local Fire Dep | partment | | | | | |
| d. Other | | | | | | |
| 5. Describe the use of fum | Describe the use of fumigants in your operations: | | | | | |
| Type of Fumigant | Trade Name(s) Used | | | | | |
| Sulfuryl fluoride | | Attach copies of the most | | | | |
| Methyl Bromide | | recent product stewardship certifications | | | | |
| Phosphide | | eet uncauons | | | | |
| Chloropicrin | | | | | | |
| Other: | | | | | | |

Fumigation Loss Control Onsite Report continued

| 6. | 6. Has your product stewardship certification ever lapsed or been revoked? a. If yes, explain: | | | No □ |
|--|---|---------------------------------------|--|-----------|
| 7. | Do you recommend hiring a lice security during fumigations? | | | No □ |
| a. If yes, do you recommend any particular company(s)? | | | | |
| 8. | Identify brand(s) of gas detection | n equipment and number of devi | ces currently in use: | |
| | Device Brand | Number of Devices Currently in Use | Attach copies of the most recent equipment calibration | |
| | Spectros Explorer IR | | certifications | |
| | Interscan | | | |
| | ClearChek | | | |
| | Other: | | | |
| 9. | Has your gas detection equipme | nt ever failed calibration certific | ation or been out | |
| | of compliance with your produc | | | No □ |
| | a. If yes, explain: | | , I | |
| | - | | | |
| 10 | Do you have written instructions | s for posting of warning signs (w | here/amount) | |
| 10. Do you have written instructions for posting of warning signs (where/amount) during a fumigation?Ye | | | | |
| | a. If yes, attach a copy | | | |
| 11 | . Are written contracts, fumigation | n preparation instructions that ac | eknowledge customers' responsi | oilities, |
| | and first aid instructions provide | d to customers before fumigatio | ns are performed?Yes | No □ |
| 12 | . Are these documents signed by | customers and retained in treatm | ent files?Yes | No □ |
| | a. Attach a copy of a fumig | ration preparation checklist | | |
| 13 | . Do you use subcontracted labor | for fumigation jobs, such as tarr | oing structures?Yes | No |
| | . Do you subcontract fumigation | | | No |

Loss Control Documents will be retained by

Attach Certificates of Insurance for all subcontractors

Xterminator Pro for Loss Control purposes.